




CASTLEFIELD

Engineering Solutions for Horticulture
Manufactured in the UK

www.castlefieldproducts.com

01384 424 232



Contents

Page 3 – 4 About Us

Page 5 - 10 – Customer Trolleys

Page 11 – 12 Staff Barrows

Page 13 – Wheelbarrows

Page 14 – Container Pot / Plant & Tree Movers

Page 15 –16 Benches

Pages 17- 22 – Trailers

Page 23 – 24 Danish Trolleys & Transporters

Page 25 – Danish Trolleys & Spares

Page 26 – Wheels for Trolleys, Trucks & Barrows

Page 27 – Castors for Trolleys & Barrows

Page 28 – Plant Pots & Hanging Basket Brackets

Page 29- Ladders

Page 30 – Wash Stations

Page 31 – Metal Steel Cages

Page 32 – Caravans

Page 33 – Picking Crates

Page 34 – Our Bespoke Work

About us

Castlefield Products have a longstanding and well - established reputation for designing and manufacturing products of exceptional quality and value for money.

We provide innovative 'Engineering Solutions for the Horticulture sectors' through a range of proven and tested handling products for Garden Centres, Nurseries, Farm Shops, Landscapers and Soft fruit harvesting industries.

We have established a unique insight into the needs of our customers, and we would be very happy to discuss working with clients to develop custom built bespoke products for their specific needs.

***Your one stop shop for horticultural
equipment***

During our 50 years' experience, we have been able to establish an excellent reputation for high quality and service excellence; our products are manufactured in the UK and are built to last. If your enquiry is outside of the UK, we are also able to export to various countries worldwide – please contact us to discuss your requirements. Our aim is to continually improve and upgrade our own designs and product range to meet the ever-changing demands of the sector and we also welcome collaborative partner ventures with customers.

To learn more about our products visit our website:

www.castlefieldproducts.com

Get in contact, call us on

01384 424232 or

Email our Sales Team at

sales@anvils.co.uk



CUSTOMER TROLLEYS



Kingston E

The Kingston E is a lightweight popular customer trolley.

Features

- Basket size 895 x 610mm
- Frame design allows trolley to stack on end
- Optional coin operated lock.

Sizes

- Overall Length 1175mm
- Overall Width 610 mm
- Overall Height 770mm
- Weight 17.5Kg

Wheel options (All information on P. 26)

- Cushioned (260 x 50mm)
- Pneumatic (260 x 85mm)
- Puncture Proof (260 x 85mm)

Finish options

Electro Galvanized as standard

Code CF501A with Cushion Wheels

Code CF501B with Pneumatic Wheels



CUSTOMER TROLLEYS



Garden Centre Plant Porter E
Our Plant Porter E is very manoeuvrable in tight spaces due to the tubular construction and is lightweight too.

Features

- Tray size 870 x 445mm
- Replaceable Yellow PVC trays

Sizes

- Overall Length 1530mm
- Overall Width 530mm
- Overall Width 710mm

Wheel options (All information on P. 26)

- Cushioned (260 x 50mm)
- Pneumatic (260 x 85mm)

Finish options

Electro Galvanized as standard
Trays available in various colours and effects - In line with your colour scheme

Code CF502A with Cushion Wheels
Code CF502B with Pneumatic
Wheels



CUSTOMER TROLLEYS



Code CF507A with Cushion Wheels
Code CF507B with Pneumatic Wheels

Melrose MKII Garden Centre Trolley
The 4-wheel stability makes this easier to push & steer. It offers the smoothest running on solid ground.

Features

- Basket size 1040 x 630mm
- Optional, additional Top Basket (250mm - 500mm - 635mm)
- Extended mainframe
- Well balanced high level lower basket with reinforced mesh for additional strength

Sizes

- Overall Length 1160mm
- Overall Width 630mm
- Overall Height 1020mm



Gainsborough E Garden Centre Trolley

Features

- Basket size 1040 x 630mm
- Optional, additional Top Basket (250mm - 500mm - 635mm)- Extended mainframe
- Well balanced high level lower basket with reinforced mesh for additional strength

Sizes

- Overall Length 1030mm
- Overall Width 620mm
- Overall Height 945mm
- Bottom Basket Size 870mm L x 450mm W x 150mm H

Code CF506B with Cushion Wheels

Code CF506D with Pneumatic Wheels

Wheel options (All information on P. 26)

- Rear cushion (260 x 50mm) Front Swivel Castor (125 x 38mm)
- pneumatic or puncture proof for loose gravel surfaces (260 x 85mm)
- Cushioned

CUSTOMER TROLLEYS



Gainsborough Customer Nesting Trolley

Over the past three seasons Gainsborough has proved to be our premium nesting trolley. With its easy manoeuvrability, large capacity, tight nesting, and unique wheel combinations ensures that this trolley will not drift sideways on sloping areas.

Features

- Basket size 1250 x 615mm
- Large volume top and main basket to maximised capacity.
- Provides 75% Nesting for storage with 6 trolleys nested taking up 2.6m of space
- No weight for customers to "balance" just simple push and steer

Sizes

- Overall Length 1160mm
- Overall Width 630mm
- Overall Height 1020mm

Wheel options (All information on P. 26)

- Cushioned (260 x 50mm)
- Pneumatic (260 x 85mm)
- Puncture Proof (260 x 85mm) with Front Blue Swivel Castor (125 x 38mm)

Finish

Electro Galvanized as standard



Code CF506A with Cushion Wheels
Code CF506C with Pneumatic Wheels

CUSTOMER TROLLEYS



Finish options

Electro Galvanized as standard with
Optional Powder Coated Frame - Red
Green or Blue

Code CF530A with Cushion Wheels
Code CF530B with Pneumatic Wheels

Sussex Narrow Aisle Trolley

Has all the features of the Kingston E
Trolley but with a narrow basket making it
ideal for confined spaces

Features

- Basket size 850 x 500mm
- Stacks on end when not in use
3 per Metre

Sizes

- Overall Length 1170mm
- Overall Width 500mm
- Overall Height 780mm

Wheel options

- Cushioned (260 x 50mm)
- Pneumatic (260 x 85mm)
- Puncture proof (260 x 85mm)



Wheel options (All information on P. 26)

- Cushion (260 x 50mm)
- Pneumatic (260 x 85mm)
- Puncture proof (260 x 85mm)

Finish

Electro Galvanized as standard

Cambridge Garden Centre Customer Trolley

This stable and well-balanced trolley stacks on
end when not in use. Ideal when space is
limited. Durable & sturdy.

Features

- Basket size 1000 x 610mm
- Large capacity mesh basket and wheelbarrow
style handles for ease of use when carrying
larger loads

Sizes

- Overall Length 1420mm
- Overall Width 610mm
- Overall Height 830mm

Code CF505A with Cushion Wheels
Code CF505B with Pneumatic Wheels

CUSTOMER TROLLEYS



Daily Shopper Customer Trolley

This popular light and very manoeuvrable, even when loaded. At the checkout, it is level with the counter for easy transfer.

Features

- Basket size 800 x 510 mm
- Secure Lower tray to place larger products or bags
- Full nesting for space saving
- Optional Coin operated lock

Sizes

- Overall Length 910mm
- Overall Width 570mm
- Overall Height 1080mm

Wheel

Castor (125mm)

Finish

Electro Galvanized as standard

Code CF535A



Sussex MK1 Customer Platform Trolley

The Sussex MK1 Platform Trolley has been purpose built for Garden Centre Customers.

Features

- Fully nesting platform trolley
 - Nests to 75% with storage
- 6 trolleys nested taking up only 3.1m of space
- Carries up to 10 bags of compost with additional top baskets for smaller items
 - Extremely manoeuvrable

Sizes

- Overall Length 1375mm
- Overall Height 1030mm
- Overall Width 880mm
- Platform 1200 x 680
- Top basket 1- 600 x 500mm
- Top basket 2 - 600 x 170mm



Wheel options (All information on P. 26)

Front high quality 160mm diameter castors

Rear 260mm diameter cushion wheels

Finish

Electro Galvanized as standard

Code CF525A

STAFF BARROWS

Zipper E Garden Centre Barrow

All the benefits of the Evesham E barrow, but with the exceptional manoeuvrability of a Zipper.

Features

- Available in 4 popular sizes:
1220 x 610mm / 1625 X 610mm
1625 X 762mm / 1854 X 610mm.
- The 1220 x 610mm accepts a Danish trolley shelf as a 2no tier.
- Fully adjustable axle position for balance setting.
- Simple conversion from Zipper E to Evesham E

Code CF511A 48" x 24"

Code CF511B 64" x 24"



Wheel options

pneumatic or puncture proof (400mm)

Finish

Electro Galvanized as standard

Evesham E Garden Centre Barrow

Our lightweight Evesham E barrow offers versatility & can be used on its own or with the addition of an optional removable second tier. With its adjustable axle for load balancing, it had been widely acclaimed by discerning users.

Features

- Available in 4 popular sizes:
1220 x 610mm / 1625 x 610mm / 1625 x 760mm / 1775 x 610mm
- Optional additional top shelf available on all sizes.
- The 1220 x 610mm model accepts a Danish trolley shelf as a second tier.
- Fully adjustable axle position for balance setting. Simple conversion from Evesham E

Code CF508A 48" x 24" Code CF508B 64" x 24"

Code CF508C 73" x 24"



Wheel options (All information on P. 26)

- Pneumatic
- Puncture proof

Finish

Electro Galvanized as standard

STAFF BARROWS



Apex E Balancing Trolley

All the benefits of the Evesham E barrow, but with the exceptional manoeuvrability of a Zipper. Our Apex E balancing trolley provides large carrying capacity in an easy to use, light weight trolley, great for customers and staff alike.

Features

- Available in three sizes:
1220 x 685mm / 1525 x 762mm / 73" x 36"
- Well supported Mesh platform
- Tubular frame construction
- Available with or without drop sides

Wheel options (All information on P. 26)

- Pneumatic
- Puncture proof

Finish

Electro Galvanized

Code CF510A 48" x 27"

Code CF510B 60" x 30"



WHEELBARROWS



Wheel Options (All information on P. 26)

- Pneumatic 3.5 x 6 plastic/slide bearings

Load capacity

50kg/ 80 litres

Size

Overall size 650mm x 590mm Width & Height

Overall size 650mm x 840mm Width & Length

Code CFR140



Log Wheelbarrow

Wheel Options

- Pneumatic 4 x 8 with steel rim and ball bearings

Load Capacity

200kg

Finish

Powder coated

Size

500mm x 750mm

Length 1400mm

Code CFR140

Code CFR163

Code CF599A 20" Plates

CONTAINER POT / PLANT & TREE MOVERS



Code CF599A 20" Plates
Code CF599B 28" Plates

Root Ball Trolley

A heavy-duty tree trolley that makes light work of even the largest trees.

Features

- Available with 2 plate sizes, 500mm / 700mm
 - Suitable for trees up to 6m high
 - Supplied with adjustable jockey wheel for increased stability
- Finish options

Wheel options (All information on P. 26)

400mm pneumatic

Finish

Electro Galvanized



Code CF551A

Sack Truck Plant Trolley

A heavy-duty sack truck for your larger requirements. Please see our website for our full range of sack trucks.

Features

- 710mm plate
- Tubular galvanised construction

Sizes

- Overall Height 1450mm
- Overall Width 980mm

Wheel options

400mm pneumatic

Finish

Galvanized finish

BENCHES



Hampshire Three Tier Folding Display Bench

A simple design, that only takes 1 minute to assemble and fold flat.

Features

- Folds flat 1158 x 1105mm
- Fits into a small van or an estate car

Finish

Electro plated

Code CF500A



Kew Potting Bench

Features

- Fully Welded and Hot Dip Galvanized Tubular frame with galvanized top & sides
- Supplied in 2 sizes:

2400 x 1000 (Large) / 1100 x 500 (small)

Wheel options (All information on P. 26)

Plate Feet as Standard with option of heavy-duty Castors (160mm) 2 x Fixed, 2 x Swivel with brake

Finish options

Hot Dip Galvanised Frame with Aluminium Top

Code CF516A Large with Castors

Code CF516B Large without Castors

Code CF516D Small with Castors

Code CF517C Small without Castors



BENCHES



Leg options

Fixed feet as standard
optional adjustable legs

Finish

Low maintenance,
Hot Dip Galvanized

Cambridge Modular Propagation Bench

Using our modular design, it is now possible to quickly & easily construct a very strong bench system to suit your exact requirements. Benches up to 30m long.

Features

- Bench size to customer requirements
- Very strong system at an ideal working height
- Custom built to order
- Flood trays and heat pads available
- Simple customer assembly with basic tools

CF5100 Standard Bench

CF5100A Extension Pieces



Leg options

- Fixed feet
- Adjustable legs

Finish

Hot Dip Galvanized

Conquest Rolling Bench

Utilise up to 95% of your building space for propagation. Maximise your efficiency as the rolling tops reduce the number of pathways needed between benches.

Features

- Built to order in sizes to maximise space in building from 0.9 - 2m wide
- Modular system - add more as you need them.
- Choice of tops- wire mesh or flood trays and heat pads.
- Tailor made to size you require
- Overhead trolley system can be added
- Simple customer assembly with basic tools

TRAILERS



Castle Star Trailer

Features

- Trailer size - 2.4 x 1m/ 2.4 x 1.2m
3 x 1.5m (Custom sizes built to order)
- Four-wheel steering system for precise and accurate towing.
- Ball bearing turntables with sealed four stud taper roller bearing hubs

Wheels

4 Stud wheels 40/45cm flat profile tyres.
Optional 56cm flotation wheels

Finish

Hot Dip Galvanized

Euro Star Trailer

Features

- Trailer size:
3 x 1.5m / 2.4 x 1.2m
1.8 x 0.9m / 1.8 x 1.2m
2m x 1m
- Smaller sizes can be hand operated
Larger models power towed.
- Optional single or double turntable steering systems.

Wheels (All information on P. 26)

Four Stud 40cm steel centre
fitted with 4 Ply tubed tyre

Finish

Hot Dip Galvanizing



TRAILERS

Ascot General-Purpose Heavy-Duty Trailer

With a large platform size & turntable steering option, this general-purpose trailer is built to withstand the heaviest loads.

Features

- Trailer size- 3.65m x 1.82m
- Single turntable steering or twin turntable 4-wheel drive option
- Headboards and shelves can be added
- 2.5 tonne capacity options

Wheels (All information on P. 26)

Four Stud 46cm Flat profile

6 Ply tyres Finish

Finish

Low maintenance,
Hot Dip Galvanized



TRAILERS



Bush Bank Trailer

This custom-built heavy-duty trailer is ideal for transporting from beds to despatch or delivering from potting shed to beds. Ideal for working on narrow roads. Optional flatbed use.

Features

- Trailer size - 4.15m x 0.9m
- Four-wheel steering double sealed ball bearing turn tables
- Precise accurate steering
- Can be towed from either end
- Hinged sides and special bodies can be manufactured to maximise use
- Removable top assembly

Wheel options (All information on P. 26)

40 or 45cm Steel Centre 4 stud Flat profile wheels
4 ply Tyres or Floatation Wheels

Finish

Hot Dip Galvanized or Agricultural Paint



TRAILERS



Wheel options (All information on P. 26)

Steel Centre Wheels with roller bearings, + 4 ply tyres (400mm) puncture proof wheels

Finish

Econo Star Trailer

Features

- Trailer size:
1.8 x 0.9m / 1.8 x 1.2m
2 x 1m / 2.4 x 1.2m / 3 x 1.5m
- Choice of single turntable or twin axle steering
- Choose from sealed ball bearing or plate turntables
- Smaller sizes can be hand operated
Larger models power towed.

Anglia Trailer

Full Road going Hot dip galvanized chassis to EU regulations. Lights and signals standard fitting.

Features

- Trailer size- 3.05 x 2.104m
- With side canopy as a service trailer
- Special sizes available built to order
- Full road going models available
- Twin axle 4 pallet model shown, other sizes to order.
- 2.2 Tonnes Rating

Wheels (All information on P. 26)

175 x 13 Road wheels

Finish

Low maintenance, Hot Dip Galvanized Chassis



TRAILERS



Basic design with variations

Hereford Trailer

SINGLE AXLE 2 pallet size 2100 x 1250mm platform

TWIN AXLE 4 pallet (2 tonne rating) size 2600 x 2250mm platform

TWIN AXLE 6 pallet (3 tonne rating) size 4200 x 2250mm platform

(4 & 6 pallet models are braked)

Hereford Internal - Use General Transport Trailer
Our single and twin axle trailers designed for general purpose and internal use.

Wheel options (All information on P. 26)

40/45cm Steel centre 4 Stud

wheels optional 56cm

Flotation wheels

Finish options

Hot Dip Galvanized or Agricultural Paint

All models feature

- Suspension Units
- Ball-Hitch Jack Stands
- Solid Front / Back Panel
- Economic Pricing
- Ability to pack flat for transportation & simple re-assembly on arrival

Options

- Internal Height 1800mm or 2000mm
- Sliding Side Curtains
- Lights & Signals
- Choice of Wheels to suit loading & working terrain

Price on Application



With product protection curtains

TRAILERS



Wheels (All information on P. 26)

40/45/56cm wheels
(HD flat profile tyres)

Finish options

Hot Dip Galvanized
or Agricultural Paint

Low Loader Trailer

This custom-built heavy-duty trailer is ideal for transporting from beds to despatch or delivering from potting shed to beds. Ideal for working on narrow roads. This low Loader trailer also has optional flatbed use

Features

- Trailer size - 4 x 1m, 4 x 1.2m, 4 x 1.5m
5 x 1.2m, 5.5 x 1.5m, 5 x 1.8m
- Choice of three models -
Universal / Titan / Tri-Star.
- Extra heavy-duty chassis
- Sealed ball bearings
- Optional top rail to secure
largest root ball tree.
- Special body for use as personnel
carrier for internal use only
- Loading capacity 1.5 tonnes

Price on Application

DANISH TROLLIES & TRANSPORTERS



Cambrian Danish Trolley Road Trailer

The Cambrian model is a full specification road going trailer, for transporting Danish trolleys. Models for 4-10 trolleys.

Features

- Trailer size - 3.56m x 1.48m 2.96m x 1.77m / 3.56m x 1.77m
- Sizes 4-10 trolleys
- Spring assisted tailgate ramps
- Optional features can be built in, E.g.: Punchtrack & Load restraints
Wheel Clamps, Rear Load restraint Poles
- All models come with a Lift up ramp 2m Long which is spring assisted.

Sizes

- Overall Length 4.88 / 4.34m
- Overall Height Internal 2.13 / 2.44m
- Overall Width 2.03 / 2.30m Wheels 175 x 13

Finish

- Hot Dip Galvanized
- Agricultural Paint

DANISH TROLLIES & TRANSPORTERS



Danish Trolley Transporter

Six models to transport 2-12 trolleys with a 1000Kg - 5000Kg loading capacity. (Internal use Danish Trolley Trailers)



Features

- Platform size to suit Trolley numbers
- Extended Ramp (spring assisted)
- Centre Security Rail
- Security Chains on all models • Draw Bar Hitches to suit towing vehicle
- All-weather Canopies to order



Wheels (All information on P. 26)

40/45cm Steel centre Four Stud wheels tyres to suit loading

Finish

DANISH TROLRIES & SPARES

Features

- The size of our standard Danish trolley is 135 cm by 56.5 cm, and the posts are 180 cm in length.
 - Code CFD001 Spares Code
 - CFD002 Plywood Shelf Code
 - CFD003 Water Tray Code
 - CFD004 Trolley handles Code
 - CFD005 Extensions



WHEELS FOR TROLLIES, TRUCKS AND BARROWS

- Solid cushion Wheel Red Centre
- **250mm diameter x 50mm**

Code CFW003



- Pneumatic Tyred Wheels Red Centre
- 260mm (approx. 10") 400mm (approx. 16")



- Puncture Proof Tyred Wheels Red Centre
- 260mm (approx 10") **Code CFWC004** 260mm
- 400mm (approx 16") **Code CFWC005** 400mm

Code CFWC001 - 260mm

Code CFW002 - 400mm



CASTORS FOR TROLLIES AND BARROWS

- Code CFWC001 160mm Centre Bracked Fixed Castor
- Code CFWC003 125mm Centre Swivel Castor (no Brake)
- Code CFWC002 160mm Centre Swivel Castor (no Brake)



SPARE TRAYS FOR PLANT PORTER & GAINSBOROUGH E TRAYS

Plastic Trays available in various colours and effects - In line with your colour scheme!



Code CF 504A

PLANT POTS & HANGING BASKET BRACKETS



WASH STATIONS



Hereford Range Belmont Hand Wash Trailer

Model illustrated has 10 sinks

- Water Capacity 2000L fresh and grey water
- All tanks fitted with anti-surge baffles
- Automatic soap/paper towel dispensers
- Waste Bin for paper towel disposal
- Optional lights and signal – smaller sizes available 4-10 sinks.



Rochester Combined Toilet – Hand Wash Trailer

- With space for 2 toilets
- Models with 2-8 sinks
- Available with full facilities as the Belmont above

Any of the above can be manufactured to a bespoke specification depending on your requirements.

METAL STEEL CAGES




These metal cages can be used for a variety of storage applications such as galvanised steel security cages for gas bottle storage or large cages for oil tank security.

Any of the above can be manufactured to a bespoke specification depending on your requirements.

PICKING CRATES



A range of plastic field picking crates for all fresh produce sectors. For all enquiries on all types of picking crates please email us sales@anvils.co.uk



OUR BESPOKE WORK AND ADDITIONAL PRODUCTS

At Castlefield Products we are proud to offer a bespoke service for our customers. If there are any designs that customers bring to us, we endeavor to meet their needs as best as we can.

Here are some examples of bespoke products we have created previously which our customers were thrilled with.

- Harvesting Trolleys for all field picking aspects
- Metal Supply for the field and project work
- Danish Trolleys Sets/Danish Trolleys Transporter Trailers
- Picnic Benches (flatpack or erected)
- Outdoor Fencing
- Metal hoops & metal clips for polytunnels
- **Hanging Baskets and Brackets**
- **Troughs and plant pots**
- **Building Supplies, Pipework and My-Pex Groundcover**
- Field to Pack-House Trailers
- On and Off Road Trailers
- Field Machinery Equipment (Mowers, Hedge Cutting equipment, Field Picking Accessories)
- Washing Facilities for employees - (On and Off Road Wash Station Trailers)
- Field Picking crates & Folding Crates
- Wooden & Plastic Pallets
- Wheels and Castors Accessories for all types of trolleys and trailers
- Fertilisers, Compost and Nitric Acid for growing/potting benches
- Static Caravans for customers labour accommodation
- Picking Crates for the field
- Electrical Appliances for Caravans
- Shredders and woodchippers
- Plant Pots, Picking Buckets (Metal and Plastic)
- Pack-house Steel Tables and Seating Manufacturers
- Metal/Motorised Gates
- Replacement trailer covers
- Bespoke Metal Fabrications & Manufacturing Projects/Steel Cages